







www.manyaimpex.com

# PE THE ORDINARY





CREATE POSIBILITIES
IN EVERY DIRECTION


# **Blasting Series**







Blasting Silver FB-307



Blasting Gold FB-308



[www.manyaimpex.com]



Nano White FB-314



# **Technical Specification**

## Panel's Physical Properties

Product Grade	Panel Thickness	Coil Thickness	Core Thickness	Top Coil Coating Thinckness	Back Coil Coating Thickness
FLX-425-Gold	4.0 mm	0.25 mm	3.5 mm	32 μ ± 2 μ Beckers/PPG Germany	7 μ ± 2 μ Primer Coat
FLX-325-Gold	3.0 mm	0.25 mm	2.5 mm	32 μ ± 2 μ Beckers/PPG Germany	7 μ ± 2 μ Primer Coat

#### **Product Tolerance**

Width	± 2.0 mm	Coil Thickness	± 0.02 mm	
Length	± 4.0 mm	Panel Thickness	± 0.20 mm	
Squareness	Maximum 5 mm	Bow	Maximum 0.5 % of width and/or Length	

Surface defect :Surface shall not have any irregularities such as roughness, Bucking and other imperfections.

### Standard Dimension

Thickness: 3 mm & 4 mm

Size: 1220 x 2440 mm | 1220 x 3050 mm | 1220 x 3660 mm

(Special Thickness and Sizes Available on Request)



#### NANO-Self Cleaner

FLEXIBOND Nano-Self Cleaner sheets are produced with a new and exciting NANO technology. This coating technology changes the molecular structure of the paint and enhances the performance of the paint coating by giving the coated surface a longer gloss and colour retention. The Nano coated paint surface is lipophobic [Oil resistant] & hydrophobic [Water resistant]. This is achieved by sealing any air-gaps between the tiny paint molecules with a water-soluble chemical, which prevents dirt, water, permanent spray paint, carbon monoxide, grease, oil or any foreign particles to penetrate through the paint surface.

In addition, the NANO PVDF application is a toxic VOC EMISSION FREE coating system, which makes the surface self-cleaning and repellent to air-borne pollutants.

NANO coating prevents penetration of UV ray and other pollutants through the paint surface, giving double life for gloss and colour retention.

# **Blasting Series**

Blasting Series colours are specially made to make the exterior part of the building more Rich and different. These PVDF double-coated colors are eye-catching and long lasting same as regular colors.

# **Important Note**

To avoid possible reflection differences, it is recommended to install the panel in the same direction as marked on the protective peel-off film. Color may vary from batch to batch, kindly ask for a sample. For installation, please follow the international standards.















## **HEAD OFFICE**

#### **AHMEDABAD**



#### DARSHIT PATEL







+91 98984 64565 manyaimpex



www.manyaimpex.com

















